

## Harness Plugs & Kits

### HXK-01

**Fitting Kit for Universal Alternators**  
 Pulley: Single 'A' section  
 Outside diameter: 82.0mm  
 Bore: 17.0mm  
 Belt Width: 12.0mm

**Suits:** Toyota Hilux, HiAce (1981-1983), models fitted with L engines  
**Replaces:**



OEX

### HXK-03

**Fitting Kit for Universal Alternators**  
 Pulley: 2 'A' section  
 Outside diameter: 66.0mm  
 Bore: 17.0mm  
 Belt Width: 10.0mm

**Suits:** Toyota Hilux, HiAce and 4Runner (1983-1989) models fitted with 2L or 3L engines  
**Replaces:**




OEX

### HXK-08

**Harness Connector**  
 4 Pin female plug

**Suits:** Hitachi Applications. Use with HXA005, HXA006, HXA008, HXA009  
**Replaces:**




OEX

### HXK-09

**Harness Connector**  
 3 Pin female plug to 4 Pin male plug

**Suits:** Externally regulated universal vacuum pump alternators  
**Replaces:**




OEX

### HXK-16

**Harness Connector**  
 Used to connect early style alternators (round plug) to the late style harness plug (oval plug)  
 3 Pin female plug to 3 Pin male plug

**Suits:** Denso Applications  
**Replaces:**




OEX

## Harness Plugs & Kits

### HXK-17

**Harness Connector**  
 3 Pin female plug (oval)

**Suits:** Denso Applications  
**Replaces:**



OEX

### HXK-18

**Harness Connector**  
 Used to convert early style (T plug) to late style (oval plug)  
 2 Pin female plug to 2 Pin male plug

**Suits:** Hitachi/Mitsubishi Applications  
**Replaces:**



OEX

### HXK-19

**Harness Connector**  
 4 Pin female plug

**Suits:** Delco CS130 Applications  
**Replaces:**



OEX

### HXK-20

**Harness Connector**  
 2 Pin female plug

**Suits:** Bosch type Applications  
**Replaces:**



OEX

### HXK-21

**Harness Connector**  
 4 Pin female plug

**Suits:** Nippon Denso Applications  
**Replaces:**




OEX

## Harness Plugs & Kits

### HXK-22

**Harness Connector**  
 Used to convert late style (oval plug) to early style (round plug)  
 3 Pin female plug to 3 Pin male plug

**Suits:** Denso Applications  
**Replaces:**



OEX

### HXK-23

**Harness Connector**  
 3 Pin female plug to 3 Pin male plug

**Suits:** Denso Applications  
**Replaces:**



OEX

### HXK-24

**Harness Connector**  
 2 Pin female plug

**Suits:** Hitachi and Mitsubishi Applications  
**Replaces:**



OEX

### HXK-26

**Harness Connector**  
 3 Pin male plug

**Suits:** Nippon Denso Applications  
**Replaces:**



OEX

### HXK-27

**Harness Connector**  
 3 Pin female plug  
 Suits 4 pin regulator plug

**Suits:** Delphi and Daewoo, CS121, CS130 and CS144 series, DXA481, DXA489, DXA490, etc.  
**Replaces:**



OEX

## Harness Plugs & Kits

### HXK-28

**Harness Connector**  
 3 Pin female plug

**Suits:** AutoLite and Motorcraft, AXA950, AXA953, AXA956  
**Replaces:**



OEX

### HXK-KIT

**Harness Connector Kit**  
 Contains an assortment of 12 harness connectors

**Suits:**  
**Replaces:**



OEX

### 1287013003

**2 Pin Injector Plug**  
 Bosch Style

**Suits:** RE60 Regulators  
**Replaces:**



BOSCH

**PLX001**

Single A Pulley  
Shaft: 17 mm  
Outside diameter: 68 mm  
Pulley width: 22 mm  
Section: A  
Belt width: 10 mm



OEX

**PLX002**

Single A Pulley  
Shaft: 15 mm  
Inside diameter: 15 mm  
Outside diameter: 69 mm  
Pulley width: 12 mm  
Section: A  
Belt width: 9.8 mm



OEX

**PLX003**

5 PV Pulley  
Shaft: 15 mm  
Outside diameter: 65 mm  
Pulley width: 27 mm  
Section: 5V  
Belt width: 19 mm  
Poly V



OEX

**PLX005**


Single A Pulley  
Shaft: 16 mm  
Outside diameter: 73 mm  
Pulley width: 12 mm  
Section: A  
Belt width: 10 mm



OEX

**PLX007**

8 PV Pulley  
Shaft: 17 mm  
Section: 8V  
Belt width: 29 mm  
Poly V



OEX

**PLX008**

Twin A Pulley  
Shaft: 17 mm  
Outside diameter: 65 mm  
Pulley width: 38 mm  
Section: AA  
Belt width: 9.2 mm



OEX

**PLX009**


9 PV Pulley  
Shaft: 22 mm  
Outside diameter: 77 mm  
Pulley width: 41 mm  
Section: 9V  
Belt width: 31 mm  
Poly V



OEX

**PLX010**


Twin B Pulley  
Shaft: 17 mm  
Outside diameter: 79 mm  
Pulley width: 48 mm  
Section: 8B  
Belt width: 16 mm



OEX

**PLX011**


8 PV Pulley  
Shaft: 22 mm  
Outside diameter: 87 mm  
Pulley width: 43 mm  
Section: 8V  
Belt width: 30 mm  
Poly V



OEX

**PLX012**

Twin B Pulley  
Shaft: 22 mm  
Outside diameter: 90 mm  
Pulley width: 45 mm  
Section: 8B  
Belt width: 15 mm



OEX

**PLX013**

Twin A Section Pulley  
Shaft: 22 mm  
Outside diameter: 72 mm  
Pulley width: 41 mm  
Section: AA  
Belt width: 12 mm



OEX

**PLX014**

8 PV Pulley  
Shaft: 22 mm  
Outside diameter: 66 mm  
Pulley width: 43 mm  
Section: 8V  
Belt width: 29 mm  
Poly V



OEX

**PLX016**

Twin A Pulley  
Shaft: 22 mm  
Outside diameter: 88 mm  
Pulley width: 59 mm  
Section: AA  
Belt width: 13 mm



OEX

**PLX017**

Twin A Pulley  
Shaft: 22 mm  
Outside diameter: 108 mm  
Pulley width: 41 mm  
Section: AA  
Belt width: 12 mm



OEX

**PLX018**

9 PV Pulley  
Shaft: 22 mm  
Outside diameter: 83 mm  
Pulley width: 66 mm  
Section: 9V  
Belt width: 31 mm  
Poly V

Suits: Cummins



OEX

**PLX019**

Twin A Pulley  
Shaft: 22 mm  
Outside diameter: 79 mm  
Pulley width: 40 mm  
Section: AA  
Belt width: 13 mm



OEX

**PLX021**


6 PV Pulley  
Shaft: 17 mm  
Outside diameter: 53 mm  
Pulley width: 31 mm  
Section: 6V  
Belt width: 22 mm  
Poly V



OEX

**PLX022**

Twin A Pulley  
Shaft: 17 mm  
Outside diameter: 82 mm  
Pulley width: 41 mm  
Section: AA  
Belt width: 12 mm



OEX

**PLX024**

Single B Pulley  
Shaft: 17 mm  
Outside diameter: 82 mm  
Section: B  
Belt width: 16 mm

Suits: Toyota Landcruiser



OEX

**PLX025**

Twin A Pulley  
Shaft: 17 mm  
Outside diameter: 67 mm  
Pulley width: 39 mm (Recessed)  
Section: AA  
Belt width: 9 mm

Suits: Toyota Hilux



OEX

**PLX027**

7 PV Over Running Pulley  
Outside diameter: 54 mm  
Pulley width: 39 mm  
Section: 7V  
Belt width: 24 mm  
Clutch style

Suits: Nissan



OEX

**PLX028**

Over Running Clutch Pulley Removal Tool  
Used to remove Hitachi and Bosch "clutch style" pulleys



OEX

**PLX029**

6 PV Over Running Pulley  
Outside diameter: 61 mm  
Pulley width: 40 mm  
Section: 6V  
Belt width: 24 mm  
Clutch style

Suits: Nissan, VW, Ford and Audi



OEX

**PLX030**

6 PV Over Running Pulley  
Outside diameter: 65 mm  
Pulley width: 39 mm  
Section: 6V  
Belt width: 20.5 mm  
Clutch style

Suits: Mazda, Mitsubishi and Kia



OEX

# Pulleys

Pulleys

## PLX032

**Pulley Kit**  
Shaft: 22 mm  
Outside diameter: 80 mm  
Pulley width: 51 mm  
Section: BB

**Suits:** For use when replacing a Sawafuji or Nikko alternator with Leece Neville or Delco



## PLX034

**Over Running Pulley Removal Tool**  
Used to remove Denso Alternator pulleys

